

Paper For the Post of Clinical Services Officer

Instructions:

1. Please read questions carefully and write your Correct answer in the space provided below each question.
2. There will be no negative marking.
3. Please sign each page of question paper against signature of candidate
4. You will be given 1 hour 30 minutes to attempt question paper.
5. No break will be given during the exam in process. If you want to leave, please hand over your answer sheet to the invigilator.
6. For Any cutting and overwriting , no credit for that question will be awarded

Name:_____

Father's name:_____

Total Marks: (To be filled by examiner)_____

Marks Obtained: (To be filled by examiner)_____

1. In a healthcare system the following type of facilities are under National AIDS Control programme except:
 - a) ART centre
 - b). Drug- rehabilitation centre
 - c). ICTC centre
 - d). OST centre.

Answer :_____

2. ASHA screens a pregnant women for HIV and syphilis at PHC level.
 - a) True
 - b) false

Answer :_____

3. In a Healthcare system, a district hospital is a :
 - a) Primary health facility
 - b) Secondary healthcare facility
 - c) Tertiary healthcare facility
 - d) none of the above

Answer :_____

Signature of Candidate _____

Signature of invigilator _____

4. All of the following are services provided by Primary Health care workers except:
- a) Immunization
 - b) HIV screening
 - c) Caesarean section
 - d) Awareness generation during VHND (village health & nutrition day)

Answer : _____

5. All of the following are High Risk Core Groups for HIV-AIDS except:
- a) Female sex Workers
 - b) Injecting Drug Users
 - c) Migrants & Truckers
 - d) Men who have sex with Men

Answer : _____

6. HIV post test counselling is provided in :
- a) OST Centre
 - b) ICTC
 - c) STI clinic
 - d) None of the above

Answer : _____

7. ART stands for
- a) Anti Retroviral Therapy
 - b) Anti rabies therapy
 - c) Alternate Retroviral Treatment
 - d) Acute reverse Therapy

Answer : _____

8. The state of being diseased or unhealthy within a population means:
- a) Morbidity
 - b) Mortality
 - c) Fertility
 - d) None of the above

Answer : _____

9. First Case of AIDS was reported in India in :
- a) 1994
 - b) 1986
 - c) 1964
 - d) 1992

Answer : _____

10. Information refers to processed data that has a purpose & meaning:

- (a) True
- (b) False

Answer : _____

Signature of Candidate _____

Signature of invigilator _____

11. Disease control means :

- a) Permanent reduction to zero of the worldwide incidence of an infection caused by a specific disease agent through deliberate planned efforts.
- b) Reduction to zero of the incidence of a specified disease in a defined geographical area through deliberate planned efforts.
- c) Reduction of disease incidence, to a locally acceptable level through deliberate planned efforts.
- d) None of the above

Answer :_____

12. HIV Counselling and testing services (HCTS) do not include:

- a) Taking written informed consent
- b) Maintaining confidentiality of client details
- c) Disseminating correct result
- d) Follow up of CD4 cell count.

Answer :_____

13. Breastfeeding should be not be initiated in new born babies of HIV positive women :

- a) True
- b) False

Answer :_____

14. "Self-initiated" clients are those

- a) who self-perceive their risk and need for HIV testing and thus voluntarily approach for HIV testing.
- b) Whom a counsellor refers for HIV testing
- c) Whom a medical officer decides to get tested for HIV as per risk assessment.
- d) All of the above categories can be considered under self initiated client testing.

Answer :_____

15. Universal work precautions are applicable to:

- a) Biomedical waste handlers
- b) Staff posted at registration counter of a hospital.
- c) Outreach workers
- d) None of the above

Answer :_____

16. Bridge population for transmission of HIV AIDS into general population does not include:

- a) Truckers
- b) Migrants
- c) Commercial Sex Workers
- d) All of the above

Signature of Candidate _____

Signature of invigilator _____

Answer : _____

17. The process in which there is continuous scrutiny of factors that determines the occurrence and distribution of disease is called:

- a) Monitoring
- b) Evaluation
- c) Virulence
- d) Surveillance

Answer : _____

18. A client tested Positive for HIV is referred for Care support & treatment to :

- a) ART Centre
- b) Emergency OPD
- c) OST centre
- d) De-addiction centre

Answer : _____

19. Targeted Interventions under National AIDS Control Programme are for:

- a) Pregnant women.
- b) Exclusively for adolescents
- c) Core population at relatively higher risk of acquiring HIV
- d) All of the above.

Answer : _____

20. In an HIV positive pregnant women with active TB, which treatment should be started first?

- a) ART
- (b) Treatment for tuberculosis

Answer : _____

21. All HIV exposed infants must be checked for the following at the first immunization visit to ICTC health facility :

- a) Co-trimoxazole Prophylactic Therapy (CPT) initiated at 6 weeks of age.
- b) Adherence of infant NVP prophylaxis for the past 6 weeks ICTC
- c) Early Infant Diagnosis as per national guidelines.
- d) All of the above

Answer : _____

22. National AIDS helpline number is :

- a) 1079
- b) 1097
- c) 1077

Signature of Candidate _____

Signature of invigilator _____

29. Community-based HIV screening approaches include
- a) Mobile HCTS (HIV counselling and testing services).
 - b) Screening by ancillary health-care providers (ANC).
 - c) HCTS for prison inmates.
 - d) All of the above

Answer : _____

30. opportunistic infection that may occur in HIV infected persons is :
- a) Herpes Zoster
 - b) Tuberculosis
 - c) Herpes Simplex
 - d) All of the above

Answer : _____

31. Discordant couple in context of HIV is:
- a) Both partners (Husband & wife) are HIV Positive
 - b) Both partners (Husband & wife) are HIV Negative
 - c) When the spouse/partner of an HIV-infected person is HIV negative
 - d) When both partners are HIV positive but one is on ART and other refuses to initiate ART.

Answer : _____

32. Under STI/RTI Syndromic case management, treatment is provided to a client for STI and after that he/she is referred to ICTC. For an ICTC facility this is an :
- a) In-referral
 - b) Out- referral
 - c) Walk in client
 - d) None of the above.

Answer : _____

33. Sero-concordant couples need to be counselled for:
- a) Consistent condom use
 - b) ART adherence
 - c) Nutrition
 - d) All of the above.

Answer : _____

34. All of the following are at high risk of exposure to potential blood-borne infections except:
- a) Labour and delivery room personnel
 - b) Biomedical Waste handlers
 - c) Laboratory technicians
 - d) None of the above

Answer : _____

Signature of Candidate _____

Signature of invigilator _____

35. All of the following Statement about Post Exposure prophylaxis are true except :
- a) In case of splash of blood / body fluids, the exposed area must be cleaned with antiseptics immediately.
 - b) PEP must be initiated as soon as possible, preferably within 72 hours.
 - c) PEP regimen does depends upon source person's HIV Status
 - d) None of the above is false.

Answer : _____

36. Components of care of HIV exposed infant include:
- a) ARV prophylaxis
 - b) Cotrimoxazole prophylaxis
 - c) Early infant diagnosis
 - d) All of the above

Answer : _____

37. Supply chain management ensures :
- a) Sufficient stock of consumables is available for end user.
 - b) Products near expiry are consumed first.
 - c) optimum level of inventory is maintained at facility level
 - d) all of the above.

Answer : _____

38. When is the world AIDS day observed every year ?
- a) 31st July
 - b) 1st May
 - c) 7th April
 - d) 1st December

Answer : _____

39. Which of the following statement is true:
- a) Pregnant women screening for HIV is usually provider initiated.
 - b) ART should be started first if a pregnant woman has active TB.
 - c) HIV positive pregnant woman cannot give birth to HIV negative baby.
 - d) Spouse of HIV positive pregnant woman will always test positive.

Answer : _____

40. Pre-Test Counselling :
- a) Is provided to the individual to prepare him/her for the HIV test and to address myths and misconceptions regarding HIV/AIDS.
 - b) Includes Referral of all Clients for Viral Load testing
 - c) Does not include risk assessment of the individual
 - d) Can only be provided in group settings

Answer : _____

41. Following is not a provision under Act notified by Govt of India for protection of HIV Infected & affected persons:

- a) The act is a central legislation protecting and promoting the rights of persons infected with and affected by HIV and AIDS.
- b) The act is applicable to Whole of India
- c) adoption of medically advised safeguards and precautions to minimise the risk of infection shall not amount to discrimination as per this act.
- d) a person ordinarily living, residing or cohabiting with a person who is HIV-positive person does not comes under the definition of “protected person” as per this act.

Answer : _____

42. Act notified by Govt of India for protection of HIV Infected & affected persons is

- a) The HIV act 2019
- b) The HIV and AIDS (Prevention and Control) Act, 2017
- c) AIDS control act 2015
- d) The HIV prevention of spread act 2004

Answer : _____

43. A newborn baby of an HIV positive pregnant woman is:

- a) HIV exposed
- b) HIV positive
- c) HIV negative
- d) None of the above

Answer : _____

44. Which of the following services are not provided under National AIDS Control Programme:

- a) Diagnosis of HIV under Basic Services.
- b) ART under care Support and treatment.
- c) Basic services and harm reduction services to high risk groups under Targeted Interventions.
- d) De-addiction of IDUs (injecting drug users).

Answer : _____

45. Injecting drug users are:

- a) At Increased Risk of acquiring and transmitting HIV and other STIs.
- b) Are core group population
- c) At increased risk of hepatitis C
- d) All of the above

Answer : _____

46. Which of the following family planning method provides protection against HIV also:
- a) Copper-T
 - b) Oral Pills
 - c) Vasectomy
 - d) Condoms

Answer : _____

47. Every client presenting with cough more than 15 days at an ICTC should be sent for TB testing :
- a) True
 - b) False

Answer : _____

48. Pre exposure prophylaxis (PrEP) for HIV can be provided to :
- a) Individuals at relatively higher risk of acquiring HIV.
 - b) A person who has been regularly taking ART for two years.
 - c) A person who has had a needle stick injury while operating in OT.
 - d) New born baby of an HIV positive mother.

Answer : _____

49. PrEP gives protection against HIV and syphilis
- a) True
 - b) false

Answer : _____

50. Which of the following commodity under AIDS Control programme does not need Cold chain during transportation or storage?
- a) HIV Rapid Test Kits
 - b) HIV & Syphilis Dual test kits
 - c) Syphilis RPR (rapid plasma regain) Kits
 - d) Safe delivery kits.

Answer : _____

Answer key:

- 1. b
- 2. b
- 3. b
- 4. c

Signature of Candidate _____

Signature of invigilator _____

5. c

6. b

7. a

8. a

9. b

10. a

11. c

12. d

13. b

14. a

15. a

16. c

17. d

18.a

19.c

20.b

21. d

22. b

23. a

24. d

25. d

26. b

27. c

28. a

29. d

30. d

31. c

32. a

33. d

34. d

35. a

36. d

37. d

Signature of Candidate _____

Signature of invigilator _____

38. d

39.a

40.a

41.d

42. b

43. a

44. d

45. d

46. d

47. a

48. a

49. b

50. d

Signature of Candidate _____

Signature of invigilator _____